

## Western Region

Gary Clifton, regional vice pres.  
(602) 946-1304

### ARIZONA

State coordinator:  
Steve McNabb (602) 992-4483  
Arizona Avian Breeders Assoc.  
Arizona Aviculture Society  
Arizona Budgerigar Society  
Arizona Seed Crackers Society  
Avicultural Society of Tucson  
L.O.O.N.Y. Central  
Turkey Flats L.O.O.N.Y.  
Yuma Imperial Exotic Bird Club

### COLORADO

State coordinator:  
Jolynn Chappell (303) 223-7280  
Colorado Cage Bird Association  
Front Range Avian Society  
Rocky Mountain Society of  
Aviculture, Inc.

### NEVADA

State coordinator:  
Robert Gibson (702) 645-7608  
Las Vegas Avicultural Society

### NEW MEXICO

State coordinator:  
Steven Schwartz (505) 298-8065  
New Mexico Bird Club

### UTAH

State coordinator:  
Rex Kennedy (801) 571-6183  
Avicultural Society of Utah  
Utah Pheasant Society

### WYOMING

State coordinator:  
\*

## Northern California Region

Dick Dickinson, regional v. p.  
(408) 248-1641

### CALIFORNIA (NORTH)

State coordinator:  
Joanne Abramson  
(707) 964-4380  
Antelope Valley Bird Society  
Aviary Association of Kern

Avicultural Association of  
San Francisco  
Butte County Bird Club  
Capitol City Bird Society  
Central California Avian Society  
Central Coast Avicultural Society  
Coastal Avian Society  
Contra Costa Avian Society  
Foothill Bird Fanciers  
Golden Gate Avian Society  
Redwood Exotic Bird Society  
Santa Clara Valley Canary &  
Exotic Bird Club  
Western Bird Breeders Society

### HAWAII

State coordinator:  
\*

## Southern California Region

Aletta M. Long, regional v. p.  
(213) 596-7429

### CALIFORNIA (SOUTHERN) SAN DIEGO AREA:

State coordinator:  
Mike Morrison (619) 466-4999  
Finch Society of San Diego County  
Hookbill Hobbyists of Southern  
California  
North County Aviculturists  
San Diego County Bird Breeders  
Association  
San Diego County Canary Club

### CALIFORNIA (SOUTHERN) LOS ANGELES AREA:

State coordinator:  
Jami Kennedy (805) 296-4451  
California Game Breeders  
Association  
Golden West Game Breeders and  
Bird Club  
Hi Desert Bird Club  
Long Beach Bird Breeders  
Norco Valley Bird Breeders  
Orange County Bird Breeders  
Santa Barbara Bird Club  
South Bay Bird Club  
Valley of Paradise Bird Club  
West Valley Bird Society

\* Position open — contact regional vice president if interested  
\*\* Indicates 2 year term has been fulfilled. If no new interested party  
comes forward and indicates a desire to serve, incumbent remains in  
position.

For information about contacting any of these member clubs,  
please call that club's state coordinator.

## SCHEDULE FOR AFA BOARD OF DIRECTORS MEETINGS

Mark these dates and plan to attend!

**SPRING BOARD MEETING**  
May 17, 18, 19, 1991  
Minneapolis, Minnesota

**SUMMER ANNUAL CONVENTION**  
"The Magic of Birds"  
August 6 - 11, 1991  
Red Lion Hotel  
San Diego, California  
Plan your summer vacation here!  
Visit the San Diego Zoo and Sea World.

# Captive breeding the St. Vincent Parrot

(*Amazona guildingii*)

by Ramon Noegel, Margaret  
Wissman, D.V.M. and Greg Moss  
Life Fellowship Bird Sanctuary  
Seffner, Florida

Many names have been given this parrot, such as the "Rolls Royce" of Amazons, the "most beautiful" of the island parrots, etc., but some names come to my mind that cannot be printed. If ever there was a bird to try one's patience in attempting to captive breed it, this is the one. We refer to them as "our chickens." This somehow seems to describe them.

There is also a curse that goes with owning *guildingii* that should rank on an equal with that of the Hope Diamond or King Tut's tomb. We have referred to it as the "St. Vincent Syndrome," a malady resulting in functional departure from mental integrity on the part of a few connected with this parrot. Its symptoms are best described as inordinate desire, rapacious eagerness, and lustful longing, which culminates in a consuming passion that will stop at nothing to gain control of the few existing specimens outside their native island. Those of us immune to its virulence are quite often targeted with invective innuendo by those afflicted. We were first apprised of the needless pain experienced by this derangement from the lips of those who had, in fact, kept this avian treasure but had avoided being infected by innoculating themselves with minimal doses of common sense. We were not made conscious of the magnitude or fury this disorder can unleash until we became custodians of ten of these Amazons eight years ago. Until then, we happily captive bred West Indian parrots of equal beauty and, in some cases, far more endangered, without arousing such vehement anger and opposition.

## Outside the Island

The 1989 studbook for St. Vincent Parrots lists only 59 *guildingii* having existed in ten collections scattered throughout the world over the past 20 years. Fourteen of these have died within this time frame. This leaves 45 living and registered outside of St. Vincent. Of this number, five were captive bred at Life Fellowship from 1982 to 1988. During the 25-year period prior to 1984, the St. Vincent government acknowledged the issue of permits for only 20 birds to be legally removed from the island (Low, 1984). Ten of these were our original *guildingii* we received from William T. Miller of Barbados, who acquired them as young birds in 1968 to 1970.

It required nine months of mind boggling paperwork from both the governments of St. Vincent and Barbados for us to establish these birds to be pre-ACT, pre-CITES status in order to satisfy both U.S.D.I. Fish and Wildlife Service, U.S.D.I. Law Enforcement and U.S.D.A. Quarantine before these Amazons could be imported. This is pointed out because our collection of St. Vincents no doubt has more legal documentation than any other outside the island.

In spite of this proof of ownership, we have continually been pressured by at least one member of the St. Vincent Parrot Consortium to sign over our birds to them in order that all *guildingii* outside the island could be returned. This proposal was presented to us and other members of the consortium in August 1988. We refused, as did the majority of members who had much invested in their

birds. Those who agreed had no personal investment involved. *However*, one did have a *more endangered species* at his facility, but no mention was made of sending *those* birds back to *their* island habitat. The institution holding that species has received considerable publicity for captive breeding the "rarity" and would no doubt balk at such a suggestion. It is hoped that more and more zoos and private aviculturists will begin to look on their collections as *floating habitats* for endangered wildlife or as banks where endangered species are held in trust and propagated as a back-up measure against eventual extinction in the wild. The welfare of insular habitats is increasingly proving to be hanging on fragile threads of transitory reforms that could be broken by a political mood swing.

### Parrots Kept as Pets on St. Vincent

In 1988, conservationist Paul Butler was sponsored to educate the Vincentian people regarding the beauty and uniqueness of their parrot. The necessity of protecting them was emphasized. In the same year, a government census was made of all pet and captive *gouldingii* on the island; a shocking total of 82 emerged and were banded for future monitoring. Seventeen of these birds were being housed at the St. Vincent Botanical Gardens in a breeding program and the remainder in private hands. Thus, at the end of 1988, a total of 82 of these Amazons were in captivity on the island whose total wild population numbers only about 500 (a high estimate). Compare this 82 birds with the aforementioned 45 known to exist outside the island. How can such a number kept as pets justify the *return* of birds? These figures are interesting due to the fact that most writers mislead readers to believe there is a worldwide traffic in this Amazon, resulting in the decimation of the wild population. No plight of any parrot has been so grossly exaggerated. *Amazona versicolor* of St. Lucia has only about 250 birds, but how many people have ever even heard of it? Almost every parrot lover has been, in some way, acquainted with the more spectacular St. Vincent. Misleading writers, and a few fact-slanting conservationists, have capitalized on its popularity. The 45 specimens within the Consortium can be traced back to having originated in the wild during 1953 to 1975, or were captive bred, as were



This photograph depicts the three color morphs (color variations) of the St. Vincent Parrot (*Amazona gouldingii*).

This 1989 St. Vincent Parrot chick is shown in front of its father's picture which appeared on the "AFA Watchbird" cover, Vol. IX, No. 2, April/May 1982. Chick is seven weeks old.

These St. Vincent Parrots, aged 40 to 49 days as of June 5, 1990, were captive-bred at Life Fellowship Bird Sanctuary in Seffner, Florida. This makes a total of 11 birds reared here since 1982.



Photos courtesy of Life Fellowship Bird Sanctuary

five of our 15 specimens.

Currently, as of November 1990, there are 86 captive *A. guildingii* on St. Vincent Island, five of these supposedly reared in their captive breeding program.

#### Status in the Wild

If we accept the various estimates of reliable researchers from 1929 until 1988, there are no more or no less birds on the island than have been present for 61 years. The parrot's habitat in the rainforest is said to consist of 11,000 acres or 13% of the total island. It is just possible that 500 (plus or minus) birds is all this area can sustain. The balance of the island (87%) is volcanic rock or is cultivated and, therefore, no longer parrot habitat.

In 1929, the noted Caribbean field ornithologist James Bond referenced several hundred. The Nichols' team in 1976 gave a breakdown of numbers recorded at various locations and arrived at a conservative figure of 525 birds. The ICBP/University of East Anglia followed a similar procedure, marking the areas to be inhabited by the parrots and noting the flora, etc. requisite to their survival. Their count yielded a possible 421 birds in 1982 (Low, 1984). The government survey of 1988 listed about 500 (Stone, 1989). Allowing for periodic hurricanes and eruptions of Mt. Soufriere, St. Vincent's active volcano, both natural phenomena that wreak devastation on the parrots, this species would seem to have a resilience of recovery unlike any other insular Amazon.

The primary threat would also appear to lie in the poverty of the island and in a growing human population, presently recorded at 110,000. When push comes to shove, more land will be cleared for commercial farming. In the April 1989 edition of *Islands, An International Magazine*, Roger Stone sums up his article on *guildingii*, "How Saint Vincent's environment will fare without Butler's energetic leadership is anybody's guess. The island is poor, the bananas fetch a good price. Even though residents understand that heedless deforestation will bring about erosion and watershed problems as well as loss of species, the temptation to clear land for short-term gain is strong."

One of the island's leading citizens and prime movers for protection of the parrot expressed it best to Allen Monti, Greg Moss and I when we vis-

# NORSHORE PETS

A collection of the finest supplies available for your birds.

"Chatter"

one of our five pet cockatiels

DISCOUNT PRICES

10% discount on any cage to AFA members

KELLOGG'S: Petamine/ Budgimine . Song Food, Seedies, plus other mixes.

KELLOGG'S pelleted cage bird food, Tweats and Hand Feeding Formula.


SILVER SONG'S fortified diets for all cage birds, plus Mineralite Grit.

Nekton, Rich Health, Prevue/ Hendryx, Hoei, Fritz, Super Pet, Lustrar, Duro-lite, Mardel, General Cage

Books • Nets • Feeders • Stands • Cages  
• Seeds • Nest boxes • Vitamins

CATALOG \$3.00,  
refundable with first order

Pick up or shipped U.P.S.



Under new ownership of William & Karen Crawford

P.O. Box 100, Rt. 1, Coloma, WI 54930  
21144 Cumberland Ave., Richford, WI 54930

1 (800) 245-6732 • (715) 228-4040

HOURS:  
Mon.- Fri. 8-4  
Sat. 9-noon  
Central Time

Pure, natural, and cleaned . . .

**finest cuttlebone available!**

small 6"-7" • medium 7"-10" • jumbo 10"-13" • mixed sizes


## CUTTLEBONE-PLUS

5 lbs. at \$3.90 per lb. = \$19.50

10 lbs. at \$3.00 per lb. = \$30.00

All orders prepaid and shipped freight collect

(Minimum order 5 lbs.)



We also feature **AVICO** Lory and Softbill Diets

New Package—  
now in reusable  
screw-top jar

**LORY LIFE** 3 lbs. \$13.90  
6 lbs. \$25.50

**LORY LIFE NECTAR** 3 lbs. \$35.00  
6 lbs. \$67.50

Also other softbill diets available.

with addition of fresh fruits, these are complete diets.

Additional new products available **SPRAY MILLET** 5 lbs. \$15.00  
(includes freight in U.S.A.)

**SOAK & COOK** for parrots

**CUTTLEBONE PLUS**

644 S. Isis Ave., Dept. A, Inglewood, CA 90301

(213) 776-6486

Dick Schroeder

breeder of softbills, rare lories, and pet parrots

Orders Only (800) 747-9878 • FAX (213) 348-0011

Dealer  
and  
Breeder  
Prices  
Available





## 1991 COMMITTEES

### AVIAN RESEARCH

AFA IN BRIEF (monthly newsletter)  
Gary Clifton (602) 946-1304

ANTI-SMUGGLING  
Daniel Gonzalez, Jr. (513) 399-6464

AVY AWARDS  
Dale Thompson (805) 252-4871

CONSERVATION  
Keith Gorman (716) 865-6414  
Gail Worth (213) 541-1180

CONVENTION — 1991  
Jeri Wright (206) 838-9802

CONVENTION 1991 (on site)  
Ann Clevenger (619) 758-0924  
Jan Newland (619) 789-3563

EDUCATION AND MEDIA SERVICES  
Kayla Snyder (215) 855-4463

ETHICS  
Trudi Dam (813) 422-3772

FINANCE  
Vicki Fletcher (206) 841-2705

LEGAL COUNSEL  
Gary Lilienthal (contact thru AFA office)

LEGISLATION  
Janet Lilienthal (contact thru AFA office)

MEMBERSHIP PROMOTION  
Richard Bewley (918) 369-2580

NOMINATIONS AND ELECTIONS  
Debbie Clifton (602) 946-1304

PARLIMENTARIAN  
Gary Clifton (602) 946-1304

PROFESSIONAL STANDARDS  
Laurella Desborough (415) 372-6174

### PUBLIC RELATIONS

PUBLICATIONS  
M. Jean Hessler (714) 548-3133  
FAX (714) 548-0420

SPEAKERS  
Nancy Vigran (818) 980-4694

SPECIAL ADVISOR  
Gary Lilienthal (617) 345-0770

CWGBT SPECIAL COMMITTEE  
Gary Lilienthal (617) 345-0770

WAYS AND MEANS  
Alister B. McNabney (415) 945-1785

BUSINESS OFFICE  
Davis Koffron, director (602) 484-0931  
Sue Jordan, office mgr. (602) 484-0931  
FAX (602) 484-0109

WATCHBIRD STAFF  
Jack Clinton-Eitniear/Editor (512) 828-5306  
Jerry Jennings/Editor (619) 728-2226  
Dale Thompson/Editor (805) 252-4871  
M. Jean Hessler/ FAX (714) 548-0420  
Art Director, Production (714) 548-3133  
Sue Jordan/Advertising (602) 484-0931  
FAX (602) 484-0109

ited the island in 1983. "It's easy for you rich Americans and British to come here and tell us what should be done about our people keeping the parrots as pets but then you return home and we are left on a small island with an angry neighbor to face." As a former political figure, this very candid Vincentian put the problem into proper perspective.

Poor people have more to be concerned about than parrots. In the 20 years we have researched Amazons in the Caribbean and Central America, *poverty has been the real and lasting threat to both flora and fauna*. This is clearly not understood by Americans and Europeans who, because of affluence, can afford to place intrinsic values on wildlife. When will conservation address the major problem facing all insular life forms: that of human population growth?

### Captive Breeding

The following recognized collections of *Amazona guildingii* existed in the United States as of the first of 1990: 0.2 at Houston Zoological Gardens (one of these having been captive bred here at Life Fellowship in 1986); 2.3 kept at St. Catherine's Island off of Georgia, being under the jurisdiction of New York Zoological Society (one of these was bred at Houston Zoo in 1972); 2.1 at Nichol's James Bond Research Foundation, Houston, Texas; and 8.7 owned by Life Fellowship (five of which were bred here between 1982 and 1989).

The first St. Vincent Parrot to be captive bred was at Houston Zoo in 1972. This resulted from four zoos bringing together their individual specimens in 1970. No further breeding resulted (Berry, 1981).

William T. Miller, hotel owner on St. Vincent, began collecting young *guildingii* in 1968 to 1970. When he moved to Barbados in 1973, he legally obtained permits to remove his ten birds. Four offspring were realized from a single pair from 1975 to 1976. Due to heart surgery, he asked Life Fellowship in 1981 to accept his ten original parrots. We received eight in December of 1981 and two more in October of 1982. Following this transfer, Bill Miller acquired a female being kept on Barbados and paired it with one of his captive bred males. Each year, a single bird was bred from this pair for the years of 1983 through 1986, being a total of four offspring (Valier, pers. commun.).

The original ten St. Vincent

Amazons we received proved to be five pairs. It should be remembered that in 1973, when Bill Miller removed these birds to Barbados, he had only his ability to sight-sex them. Today we take for granted feather follicle and laparoscope sexing. Fifteen years ago, we had it more difficult. Considering our results without such modern advantages, we did surprisingly well. Today there is an abundance of sexed stock, much of which is captive bred for the beginner to choose from. This almost guarantees instant success in breeding.

Bill Miller was formerly a U.S. marine biologist. His keen interest in this Amazon since 1968, coupled with his success in captive breeding it, places him in the position of one of the most knowledgeable keepers of *guildingii*. We have learned much from Bill that helped our captive program. He was the first to point out the diverse color morphology that places this Amazon in a unique position. He continues to be dedicated to this parrot. Like us, he has been severely attacked by those keeping *guildingii* but unable to captive breed it.

Our *guildingii* and those kept by Bill Miller on Barbados nest in April through June. We endeavor to hold the females back a few weeks so nesting will occur in May, allowing the male more time to come into condition. The clutch of eggs usually consists of only two and rarely three. We encouraged double clutches in most endangered Amazons (Noegel, 1979), but this is seldom achieved in *guildingii*'s Amazon. Incubation begins with the first egg and lasts for 25 days. Fertility is usually discernable after the third day into incubation. Smaller island Amazons like the Cuban often require six days before fecundity is evident.

We have bred 13 St. Vincent Parrots in nine breeding seasons. The first was bred in 1982. Two were reared from the old original female from Houston Zoo sent here in 1985 on loan. From this female, "Vincent," and one of our males, "Gus," one chick was reared in 1985 and another in 1986, the latter being sent to Houston when we returned its mother in 1989. An additional four more *guildingii* were reared here in 1988 and 1989 from two pairs of our birds, with six reared in 1990. Therefore, five (3.2) of the original ten birds received from Mr. Miller have proved out.

A total of 23 fertile eggs were laid from 1982 through 1990. About 35 infertile ones were candled during the same period. In 1982, there was no practical data available on husbandry or captive breeding *guildingii*. Our 25 years' experience in captive breeding *Amazona* was of little use as this parrot is unapproached in behavior and quite unpredictable. The nests usually consist of two eggs. If fertile, the female was allowed to incubate one and the other egg was fostered to another Amazon species nesting at the same time. The incubation period is 25 to 26 days. In three instances, the St. Vincent's killed their first chick when hatched. To test out the last pair producing fertile eggs, an egg from a pair of Yellow-shouldered Amazons was substituted and was hatched and fledged by its giant foster *guildingii* parents. On two occasions, the other Amazon foster parents either killed or suffocated the young by sitting too tight after hatching. The embryos of this parrot are quite sensitive and would appear to stop developing from incidents not affecting other Amazon embryo development.

We feel we wasted considerable valuable time by placing on loan one of our males and accepting on loan three females from other facilities in order to activate their programs. This arrangement deprived our proven egg-laying birds of mates in order to accommodate St. Catherine's Island (Bronx Zoo) and Houston Zoo. We began with an equal sex ratio of 5.5 adult birds and had no need of outside birds.

The 13 we reared were five males and eight females. If hatched, *guildingii* is the strongest of chicks and will push other chicks aside in its eagerness to be fed. The most crucial period is after it is feathered but still being hand fed. Quite often, a chick stops passing its formula and, unless swift measures are taken, will die within 48 hours. Authoritative veterinarian analysis disclosed little to assist us in this decisive dilemma. We had similar experiences with hand rearing the first Red-browed Amazons (*A. dufresniana rhodocorytha*) but in the latter's case this transpired when only four weeks of age. We finally realized we had to switch to an entirely fruit formula mixed with Nekton Lory diet added. Both of these Amazon species appear quite different from the 29 other Amazon species and subspecies we have suc-

cessfully bred here for the past 25 years.

Due to eggs in a clutch being deposited three to four full days apart and the fact that incubation begins immediately, the first chick gets a good head start in growth over the second one. This may account for us being told by Dr. I.A. Earl Kirby of St. Vincent (1983) that seldom are two St. Vincent chicks fledged from a nest in the wild. Apparently the pair leaves with the first offspring fledged thus allowing the second to starve to death within four days of being

fledged. Rosemary Low also references this strange infanticidal parent behavior (1984). This may be more common in other wild Amazon species than is recognized.

### They Are Intelligent as Well as Beautiful

The St. Vincent enjoys human companionship and adapts well in a captive environment (Low, 1984). A resort on Young Island (less than 200 meters from the main island) keeps five *guildingii*. One named "Sarna" has been allowed liberty for a number of years. This bird regularly showers

## Commercial Members



About Birds, Hebron, IL  
 American Bird Company,  
 Falls Church, VA  
 Animal Care Products, Norco, CA  
 Animal Environments, Carlsbad, CA  
 Animal Exchange, Rockville, MD  
 Animal Kingdom, Inc., Chicago, IL  
 Animal Kingdom, Dallas, TX  
 Avian & Animal Hospital, Largo, FL  
 Avian Publications, Altoona, WI  
 Avian Specialties, Plantation, FL  
 Avi-Sci, Inc., Okemos, WI  
 B & R Bird Ranch, Apache Junction, AZ  
 Barb's Bird Bags, Bath, PA  
 Bassett's Cricket Ranch, Inc., Visalia, CA  
 Better Birds Avian Products, West Park, NY  
 Biomune, Inc., Lenexa, KS  
 Bird Cage, Inc., The, Richmond, VA  
 Bird Expo, Laguna Niguel, CA  
 Bird Talk Magazine, St. Paul, MN  
 Birds of Distinction, Monroe, NC  
 Birds of Distinction, Lake Oswego, OR  
 Birds of Paradise, Houston, TX  
 Carlson Specialty Seed Inc., Plainfield, WI  
 Citrus Park Animal Hospital, Tampa, FL  
 Comers Ltd., Inc., Kalamazoo, MI  
 Country Critters, Ltd., Medford, NY  
 Crofton Animal Hospital, Gambriils, MD  
 Deep South Aviaries, Naples, FL  
 Dehesa Valley Bird Farm, El Cajon, CA  
 Devon Enterprises, Brookfield, WI  
 Di Vinci Ltd., Las Vegas, NV  
 Dignan Enterprises, Dunedin, FL  
 Docket Pet Center #450, Watertown, MA  
 DRB Bird Ranch, Deming, NM  
 Drs. Katen & Stanley Turner, Hilton Head Island, SC  
 Eight In One Pet Products, Inc.,  
 Hauppauge, NY  
 Elite Aviaries, Bronxville, NY  
 Eric H. Peake, United Kingdom  
 Fancy Feathers, New York, NY  
 Feathers Aviary, San Francisco, CA  
 Francodex Laboratories, Ft. Worth, TX  
 FTD Aviaries, Nokeville, VA  
 Hagen Avicultural Research Institute,  
 Rigaud, Quebec, Canada  
 Hilltop Bird Farm, Hendersonville, TN  
 House of Hausers, Inc.,  
 College Park, MD  
 House of Tropicals, Inc., Glen Burnie, MD  
 I M SHARPE III, Plant City, FL  
 InFlight Aviaries, Boynton Beach, FL  
 John Stoodley, England  
 Jokatta Farms, Benton, MS  
 Kaytee Products, Inc., Chilton, WI  
 Kellogg, Inc., Milwaukee, WI  
 Kings Aviary, Inc., Rosedale, NY

LM Animal Farms, Pleasant Plain, OH  
 Lake's Minnesota Macaws, Inc.,  
 St. Paul, MN  
 Lowcountry Parrot Jungle, Ravenel, SC  
 Lu-Chow Aviaries, Ft. Lauderdale, FL  
 Luv Them Birds, Miami, FL  
 M & D Exotic Birds, Indianapolis, IN  
 M.D.S., Inc., St. Petersburg, FL  
 Magnolia Bird Farm, Anaheim, CA  
 Miramar Animal Hospital Inc.,  
 Jacksonville, FL  
 Nekton USA, Clearwater, FL  
 Pampered Parrot Haven, Inc., Oyster Bay, NY  
 Parrot Junction, Goochland, VA  
 Parrot Jungle, Inc., Miami, FL  
 Parrot River, Richmond, VA  
 Parrots Plus, Glen Burnie, MD  
 Parrotville Aviaries, St. Clair, MI  
 Perry's Aviary, Fiskdale, MA  
 Pet Farm, Inc., Miami, FL  
 Pet Supplies Marketing, Deluth, MN  
 Petables Plus, Hampstead, MD  
 Petland — White Flint Plaza,  
 Kensington, MD  
 Pets Supplies Marketing, Deluth, MN  
 Phoenix Unlimited, Irving, TX  
 Picture Perfect Parrot, Walton Hills, OH  
 Pretty Bird International, Hugo, MN  
 Purina Mills, Inc., St. Louis, MO  
 Rain Forest Exotic, Aptos, CA  
 Ratnavira Wildlife Art Gallery,  
 Fallbrook, CA  
 Roudybush, Davis, CA  
 Santa Barbara Bird Farm,  
 Santa Barbara, CA  
 Scarlet Oak Aviaries, Glenwillow, OH  
 Sharon's Toys, Fairfax, VA  
 Showbird, Inc., St. Petersburg, FL  
 Spary Millet America, Wausau, WI  
 Special Diets Services, Essex, England  
 Swan Creek Supply—Grumbach  
 Incubators, Saginaw, MI  
 Talisman Associates, Inc., Rockville, MD  
 Tammy's Landing, Kernville, CA  
 The Bird Shop, Sacramento, CA  
 The Birdello, Soquel, CA  
 The Reptile Place, Mahwah, NJ  
 The Scarlet Macaw, Inc., Houston, TX  
 Thee Birdie Bordello, El Segundo, CA  
 Todd Marcus Birds Exotic, Cinnaminson, NJ  
 Union Street Veterinarian Hospital,  
 Schenectady, NY  
 Veterinary Care Clinic, Albuquerque, NM  
 Vienna Aquarium and Pets, Vienna, VA  
 Wyld's Wingdom, Chesapeake, VA  
 Zeigler Bros. Inc., Gardner, PA  
 Zoo Avenue, University Park, TX  
 Zoovival, Inc., Clearwater, FL

with guests whose baths are partially exposed to nature, each cottage being semi-isolated amid a profusion of tropical foliage. There are tables down on the beach area under coconut palms where drinks are served. Sarna delights in a stealthful flight along one of the many paths that lead down the heavy foliated hillside to the beach. She is seldom 20 inches above the path and a quick swoop brings her up over the edge of one of the tables she has selected. She always alights with unerring accuracy on the table's edge furthest from the sitters. If there is food or an object of her interest, such as a camera lens cover, this she quickly absconds with during the brief astonishment experienced by those taken back with her arrival. Every afternoon we ferried to Young Island to watch this lovely sight. She often flew by us so silently that we would be startled by her swift, brilliant colors suddenly beside us so close to the ground. We never tired of her antics. By dusk, she had crept down into a cavity located in an ancient West Indian almond tree, which well protected her from any high winds that might arise during the night. We have never witnessed an Amazon roost in a tree's hollow before. This is one of St. Vincent's treasures that few visitors will ever see, simply because they do not visit Young Island. I think of the difficulty we encountered to see wild specimens through binoculars when here was one amid tropical beauty willing to be photographed while we sat as tourists enjoying her and our cold liquid libation. We dream of an enclosed tropical patio garden for the young we raise here each year. We consider this parrot to be one of the most intelligent of the Amazons.

Recuperating from a heart attack in June of 1984 allowed the senior writer ample time to attend to monitoring the five pairs of St. Vincent's whose aviaries surround "Tree Top House." At this time, our male, Gus, was doing his best to corner Houston's female, Vincent, with intent to murder. I would go downstairs and outside to spray him with a hose, resulting in him leaving her and retreating. After four days of this routine, we had merely to step out on the second story balcony facing this pair and say "Gus!" at which point he would beat a hasty retreat in order to avoid a supposed bath. They quickly learn every trick to avoid being netted. Once learned, they do not forget,



Greg Moss of Life Fellowship Bird Sanctuary is shown with four of six St. Vincent Parrots reared in 1990.

though we seldom remove them from their aviary more than twice annually.

#### Color Morphs

Like William Miller, we recognize three color morphs. If ever an Amazon should have been named *autumnalis* it is *gildingii*. The extreme color phase and the one that captures most artists' imaginations is what we refer to as orange to brown. Orange is very evident on the primaries, the secondary, and the primary coverts, the upper tail coverts and the upper third of all the tail feathers. Diffused orange often appears behind the crown color (which varies from white to cream) and, in some birds, extends on the cheeks, throat, ear coverts and occiput. This color tinges the breast and back brown feathers giving a bronze cast. The splashes of orange cause *this St. Vincent morph* to stand out. The standard brown morph has this color only on the primaries and the upper portion of the tail feathers, which is concealed by the brown upper tail coverts.

The green morph may appear Amazon green to brown or black-green on the wings, breast and back. The orange is greatly reduced and hidden as in the standard brown morph but even more so. This species is so obviously not complete in its evolution to produce a more orange or a more brown bird. In time, possibly two subspecies could emerge if Nature is allowed to finish her art-

work. No picture does any single color phase justice but Forshaw's *Parrots of the World* gives an imaginative extreme of the orange to brown morph. Bill Miller refers to this color phase as a red morph because during *prime* condition the orange may take on a reddish hue. There are numerous variations occurring between these three extremes. The casual beholder without an artist's background will see almost any color and be somewhat correct in naming it. One we had on loan would often photograph out in purple cast when in the sun. The poor cameras were mistaken, or were they?

#### Longevity

The St. Vincent Parrot would appear to be very long lived under the proper conditions. One we have was given to Mr. Keith Frost, a Venetian, as a wedding gift in 1953. Mr. Frost was also the first to call attention to the plight of the Lesser Antilles Parrots in an article printed in the *British Aviculture Magazine* in 1959 (Berry, 1976). Another Gilding's Amazon brought to the Bronx Zoo, New York, in 1954, expired in 1982 (age unknown). The majority of the aforementioned 14 deaths recorded in the St. Vincent Parrot Consortium would appear to have not been from natural causes. Since most of ours were collected as juveniles in 1968 to 1970, they would now be in their best years for breeding.

## Avian Medicine and the St. Vincent

With so many infants being born with Aids and other horrible diseases, it might be asked how can we justify so much concern over parrots? The answer is simple: somehow in this mad world, that seems at times destined to fall to pieces, we need a center of balance to maintain sanity. The therapeutic practice of aviculture grants this stabilization. It gives us a purpose we can do something about through captive breeding endangered and nonendangered species. It affords meaning and security in a world clouded with uncertainty.

Tom Ireland points to the fact that we have been willing to make changes and to *dare* new approaches whereas other keepers of *guildingii* seem to be gripped with a paralysis of fear where this bird is concerned. It certainly has proved to be one of the most challenging parrots we have ever kept at Life Fellowship. Since there is virtually nothing in print regarding the medical problems of this species, we have asked our veterinarian, Margaret A. Wissman, to present some of her findings:

"Examination and treatment of St. Vincent's Amazon Parrots presents a challenge to the avian veterinarian. These unique birds are somewhat of an enigma. There is not a good, accessible medical data base for the St. Vincent's, as of yet. These beautiful, strong birds have a tendency towards obesity, a dusty feather coat, and a high incidence of skin lesions.

"Four of the birds in Life Fellowship's collection (two males and two females) had skin lesions. The affected skin showed feather loss, ulceration, and scabbing. Most often, the lesions appeared lateral to the vent, over the abdominal skin, or on the dorsum over the pygostyle. These birds picked at these areas and further traumatized the skin and underlying tissue. Lesions similar in appearance had been observed in captive birds on St. Vincent, according to Ramon Noegel.


"A full work-up was done on the St. Vincent's with the worst lesion. The Gram's stain of the lesion around the vent showed Gram positive cocci, Candida (yeast), and Gram negative rods. The lesion was cultured. Radiographs were normal. Blood chemistries and a complete blood count were all within normal limits, extra-

polating data from other Amazon species, since no normal blood values have, as yet, been published for the St. Vincent's. Thyroid levels were also considered normal.

"Based on culture and sensitivity results, these birds were treated with injectable amikacin and oral 5-fluorocytosine at established avian doses for ten days. In addition, topical neomycin was applied to the lesions. It is exciting to report that six

weeks post-treatment, the lesions on three of the birds have totally resolved, and the fourth bird's lesion is almost totally healed. If any lesions recur, they will be biopsied and cultured at that time.

"My observation of these birds led me to suspect a possible nutritional condition, affecting thyroid function, since reproduction, metabolism, feather, and skin condition are controlled, either directly or indirectly,



# KELLOGG IS CARING

For over 50 years, Kellogg has manufactured superior quality bird foods and supplements for breeders. To us, it's more than just a business—Kellogg genuinely shares your interest in aviculture. We enjoy and care about birds as much as you do.

That's why we're so strict about the ingredients that go into every Kellogg product. Not only are Kellogg foods triple-cleaned for purity, they must meet every nutritional requirement necessary to give your bird a beautiful appearance and a long, healthy life.

From Petamine® to Budgimine®, from Pellets and Krums to Handfeeding Diet, and from Tweats® to Fortified Foods, you'll discover there's a lot of caring packed into every Kellogg product. Visit your nearest dealer, or write or call Kellogg for additional information.



Kellogg Inc.  
P.O. Box 684  
Milwaukee, WI 53201  
1-800-627-5495

**K** is for Kellogg...the choice of champions.

by the thyroid hormones. Perhaps the sea salt, Sea Grapes, and iodine (necessary for thyroid function) ingested by these island Amazons plays a role in maintaining their normal metabolism. We plan to investigate thyroid levels and blood chemistries of the St. Vincent's in the near future.

"All of the St. Vincent's in Life Fellowship's collection were cultured in December of 1989. The choana and cloaca of each bird were swabbed and cultured for bacteria, fungi, and viruses. The parrots kept at Life Fellowship, in the Noegel cages, typically have "clean" cultures, meaning that no pathogenic organisms are usually found, and the St. Vincent's are no exception.

"Seventy percent of the birds cultured out with *Enterobacter* sp. bacteria, 23% had hemolytic *E. coli*, 30% had non-hemolytic *E. coli*, and one bird cultured positive for *Staphylococcus* (coagulase negative), *Streptococcus* sp., and *Salmonella* sp. group C.

"It is interesting to note that the birds with hemolytic *E. coli* and *Salmonella* were not the ones with skin lesions. It is suspected that the *Salmonella* came from contamination from wild birds on the property.

"Fungal and viral isolations on all birds were negative.

"Based on bacterial cultures and sensitivities, it was decided to treat all the birds with enrofloxacin in the drinking water for two weeks to eliminate potential pathogens prior to the breeding season. Only one bird in each pair carried hemolytic *E. coli*, and just one bird (who had a mate sharing a cage) had *Salmonella*. Cultures taken two weeks after treatment showed no hemolytic *E. coli*, no *Staphylococcus*, and no *Salmonella*.

"I would like to add that any time I am working on rare or endangered species, there is an element of the unknown that makes me very cautious. I have heard about and read of idiosyncratic drug reactions in certain species, so we always proceed with caution. I feel it is important to report what drugs and therapies have worked in different species, so that we may contribute to conservation, and work together to ensure the survival of these beautiful, enigmatic parrots."

### Conclusion

For 20 years, noble efforts to captive breed the St. Vincent Parrot have, in most cases, failed because of the absence of an aviculturist and the

willingness to dare new approaches with a difficult and highly publicized endangered species. Today, with expertise available, there is no reason working captive breeding programs cannot become realities. It will take zoologists and aviculturists working together and willing to share both *credit* and *responsibility*.

Aviculture can make a difference in the ongoing problem of species extinction due to habitat destruction. Unless it is adopted as a backup safeguard to threatened wild populations, much that is unique and beautiful and a wonderment in nature will disappear from the face of the earth. The Species Survival Programs (SSP) of the American Association of Zoological Parks and Aquariums (AAZPA) have begun to recognize the importance of maintaining captive breeding populations of threatened endangered species. Their goals are to preserve, through captive breeding, species that are rapidly disappearing in the wild. This type of conservation has *already been in practice* for many years by today's aviculturists. If properly maintained, it will make a positive contribution in saving diminishing avian species.

We began our program for endangered West Indian parrots in 1965. It pioneered a field void of any data or expertise. Each species has had to be researched and we have had to adjust our approach to the *individual needs* rather than treating our collection as just a *group* of birds. By careful observation, in being sensitive to each bird's requirements, and infinite patience, we gradually overcame every obstacle. We researched the parrots in their native islands and in Central America to gain a better understanding of their captive needs. From 1967 we published our findings regarding husbandry and our field experiences. By our writings and practical achievements with difficult to breed endangered species, we have assisted in gradually changing the minds of many eminent conservationists toward *captive* breeding as a safeguard against extinction. Over the past ten years, we have seen an about face. Practical conservationists are *now* echoing what we have repeated for nearly two and a half decades: *captive breeding programs are the only guarantee for survival of species in limited diminishing habitats.*

Twenty years ago, conservation ignored aviculture as a *secure* means of preventing extinction. Today, due

in part to our persistence, it is taking a more realistic look at our expertise and potential in saving wildlife. In most cases, it is the private sector that has both the know-how and the time, coupled with the dedication necessary to see a long-range program through. Institutions, sad to say, are too often governed by political motivations from within. A well planned program is often abandoned when new policy is implemented. The private aviculturist cannot afford to invest large finances and not realize some fulfillment of his dream. This kind of dedication makes a difference. It is conservation that everyone can participate in. From the housewife, office worker, or large scale breeder, each can make a contribution. The rewards of conservation via captive breeding are, above all, the most gratifying. It is our hope and goal to someday see offspring from our St. Vincent parrots being bred in collections throughout the world. When we realize this, we will know this special Amazon will be safe for tomorrow's generations to see and appreciate.

### References

- Berry, Robert J., 1976. "Precarious Perch for a Parrot," in *Animal Kingdom*, published by New York Zoological Society, N.Y., Vol. 79, No. 5, Oct./Nov., pp. 25-30.
- Berry, Robert J., 1981. "Status of the St. Vincent Amazon Breeding Program at the Houston Zoological Gardens," in *Conservation of New World Parrots*, Proceedings of the ICBP Parrot Working Group Meeting (ed R.F. Pasquier), Smithsonian Institution Press, Washington, pp. 209-14.
- Low, Rosemary, 1984. *Endangered Parrots*, Blandford Press, Poole, Dorset, England, pp. 65-70.
- Noegel, Ramon, 1976. "The Cayman Brac Amazon," *Aviculture Magazine*, published by The Aviculture Society, Hartley Wintney, England, Vol. 82, No. 4, Oct.-Dec., pp. 202-209.
- Noegel, Ramon, 1979. *Amazon Husbandry, The A.F.A. Watchbird*, published by the American Federation of Aviculture, Phoenix, Arizona, Vol. VI, No. 4, Aug./Sept., pp. 10-21.
- Stone, Roger D., 1989. "Parrot Imperative," *Islands, An International Magazine*, Islands Publishing Company, Santa Barbara, CA, April, pp. 48-51.

### Special Thanks

To Eric and Linda Valier who faithfully reported William T. Miller's captive breedings of *A. guildingii*. To Bill and Dorothy Parsons for informing us of the value of Nekton Lory Diet for our St. Vincent chicks. Especially to Rosemary Low whose continued support and faith in our captive breeding program has helped us through some dark hours.

**Editors' Note:** *The views and opinions expressed in this article are those of the authors, and not necessarily those of the A.F.A. Watchbird.* ●